

# The Deceleration Deficit: A Novel Field-Based Method to Quantify Deceleration During Change of Direction Performance

Richard Clarke,<sup>1,2</sup> Paul J. Read,<sup>1,3</sup> Mark B.A. De Ste Croix,<sup>1</sup> and Jonathan D. Hughes<sup>1</sup>

<sup>1</sup>The University of Gloucestershire, Exercise & Sport Research Centre, Cheltenham, England; <sup>2</sup>Birmingham City University, Birmingham, England; and <sup>3</sup>Aspetar Orthopaedic and Sports Medicine Hospital, Doha, Qatar

## Abstract

Clarke, R, Read, PJ, De Ste Croix, MBA, and Hughes, JD. The deceleration deficit: a novel field-based method to quantify deceleration during change of direction performance. *J Strength Cond Res* 36(9): 2434–2439, 2022—The study investigated the relationship between linear and change of direction (COD) speed performance components and the individual differences between deceleration deficit (DD) and COD deficit (CDD). Thirty-six subjects (mean  $\pm$  SD: age = 20.3  $\pm$  2.9 years; stature = 175.2  $\pm$  7.7 cm; and body mass = 78.0  $\pm$  16.7 kg) completed 3 trials of a 505 test in both turning directions (dominant [D]; nondominant [ND]) and 3 15-m linear sprints. Deceleration deficit was calculated by the 15-m approach in the 505 test, minus the athlete's linear 15-m sprint time. To compare individuals CDD and DD, z-scores were calculated, and moderate worthwhile changes (MWCs) were identified between these deficit z-scores. Significant correlations were identified between linear sprints and 505 time (D:  $r = 0.71$ ,  $P < 0.01$ . ND:  $r = 0.76$ ,  $P < 0.01$ ) for 10-m and 15-m sprint, respectively, and between 505 performance and CDD (D:  $r = 0.74$ ;  $P < 0.01$ . ND:  $r = 0.77$ ;  $P < 0.01$ ) and DD (D:  $r = 0.41$ ,  $P < 0.05$ . ND:  $r = 0.44$ ,  $P < 0.01$ ). Deceleration deficit was significantly related to CDD (D:  $r = 0.59$ ;  $P < 0.01$ . ND:  $r = 0.62$ ;  $P < 0.01$ ); however, 78% of subjects demonstrated differences between these deficit measures greater than an MWC. In conclusion, linear speed has the strongest significant relationship with 505 performance. Deceleration deficit could provide a more isolated construct than CDD which may be related to an athlete's deceleration capabilities.

**Key Words:** agility, velocity, braking, multidirectional, Gamespeed

## Introduction

Change of direction (COD) speed is a key physical quality for success in a range of sports (25). Assessment of COD speed often includes the 505 test (1,9,27,29) or various cutting maneuvers (3,4,18,19), with performance quantified by the total time taken to complete a predetermined course. However, COD speed is comprised of many constituent parts, including linear speed, deceleration, and reacceleration (25). Specifically, the 505 test involves a 15-m approach sprint, a 180° turn, and a 5-m exit or more simply, a maximal acceleration, a deceleration to a complete stop (16), and a reacceleration into the new direction. Despite the test already being relatively short in duration (~2.3 seconds) (1,9), it is reported that on average only approximately 31% of the time is spent changing direction (23).

The total time in a COD speed test is still a useful measure as the transfer of performance may primarily relate to the time taken to get from one point to another. However, an athlete may have varying capabilities in the different components that make up the test (acceleration, deceleration etc.). Providing greater insights into how the performance task is executed will enhance our ability to identify the main limiting factor(s): linear speed, deceleration, or reacceleration (22). The COD deficit (CDD) was designed to assess COD ability while controlling for linear speed, as COD abilities can be overestimated or underestimated by the

total time measures because of an athlete's linear speed capabilities (5,22). The CDD is a useful tool to help understand if an athlete should focus on their linear speed capabilities or ability to decelerate, change direction, and reaccelerate during the training process (6). However, the CDD is still a single variable which represents a range of qualities, such as deceleration, acceleration, and technique factors. Therefore, delineating the primary limitations in performance remains challenging.

The 505 test provides an opportunity to assess an athlete's ability to decelerate, as momentary zero velocity must be attained after a 15-m approach, before the COD. Graham-Smith et al. (11) reported that after approximately an 8.5-m maximal sprint, it takes athletes approximately 6.5 m to decelerate and come to a complete stop. Therefore, the approach period of the 505 test may be viewed as an 8.5-m initial sprint followed by a 6.5-m deceleration period (entry into the turn). By recording, (a) the amount of time taken to maximally accelerate and come to a complete stop within the 505 test (in this case 15 m) and (b) the amount of time required to cover the same distance but with no forced deceleration. Performance in these separate tasks could be compared and quantified as the "deceleration deficit" (DD). This method could represent an athlete's deceleration ability relative to their linear sprinting speed. Isolating this time required to come to a stop by the DD measure could provide important information for coaches because of the high eccentric demand experienced during deceleration not found in acceleration (10,13).

Deceleration is a key factor in COD speed performance, with the importance of braking impulse during the penultimate

Address correspondence to Richard Clarke [Richard.clarke2@bcu.ac.uk](mailto:Richard.clarke2@bcu.ac.uk).

*Journal of Strength and Conditioning Research* 36(9):2434–2439

© 2020 National Strength and Conditioning Association

foot contact on COD performance previously reported (7,8). However, our understanding of deceleration during COD speed is yet to be expanded past the penultimate step. The use of the DD in the 505 provides an opportunity for coaches to isolate the deceleration component of the task, providing unique insights into an individual's limiting factor(s) when performing the test. However, there are inherent deceleration components in both 505 total time and CODD. Therefore, the relationship between these measures should also be investigated to identify if the DD provides different and meaningful information for coaches.

The aims of the current study were to (a) determine the relationship between linear sprint speed, 505 performance, CODD, and DD and (b) investigate the individual differences between DD and CODD. It was hypothesized that linear speed would demonstrate a strong relationship with the 505 time but not the CODD and DD. In addition, it was hypothesized that these 2 deficit measures would not be significantly correlated.

## Methods

### Experimental Approach to the Problem

The study used a cross-sectional design where subjects completed a 505 COD test in both turning directions and a 15-m linear sprint. All experimental data for subjects were collected in a single testing session. Pearson's correlation was used to determine the relationship between COD, linear speed, and deceleration performance. Individual differences between DD and CODD times were compared using standardized metrics (z-scores).

### Subjects

Thirty-six (19 women and 17 men) recreationally active subjects ( $20.3 \pm 2.9$  years; stature =  $175.2 \pm 7.7$  cm; and body mass =  $78.0 \pm 16.7$  kg; data reported in  $\pm SD$ ) volunteered and provided written informed consent. Subjects were required to be competing in an invasion sport (netball, hockey, rugby, or football) and taking part in coached strength training at least once per week with experience of COD speed testing protocols. All subjects were also required to be currently free from injury and illness. This study was approved by the University of Gloucestershire Institutional Review Board, and procedures were performed in accordance with the Declaration of Helsinki.

### Procedures

Subjects first attended a familiarization session to practice the 505 test and to collect anthropometric data. This was followed by formalized data collection 48 hours later, with 3 trials completed of the 505 in each turning direction in a randomized order, and finally 3 15-m linear sprints. A 2-minute rest period was provided between each recorded attempt. All testing was conducted on a Pulastic indoor sports floor, and all subjects were instructed to wear clean indoor sports trainers. The testing session was preceded by a standardized warm-up consisting of 5 minute of various pulse-raising activities, including linear and multidirectional movements which mimicked the 505 test and 5 minute of dynamic muscle activation exercises such as body weight lunges and squats and dynamic stretches. Subjects were asked to refrain from alcohol 24 hours before testing and avoid caffeine ingestion the morning of testing procedures.

## Performance Measures

**180° Change of Direction Test.** The COD speed test contained the same running pattern as the 505 test commonly used in other studies (1,9,22). The time was recorded using a smart speed timing gate system with gates placed at 0 and 10 m and a smart jump contact mat (Smartspeed, Fusion Sport, Sumner, Australia) positioned at the 15-m turning point (which was temporarily fixed to the floor to avoid slipping). The contact mat was used to record commencement and duration of plant step ground contact (Figure 1). For a 505 trial to be considered successful, subjects needed to ensure that their final plant step occurred on the contact mat and over the marked turn line; any trials where subjects missed the contact or turning line were discounted and repeated. To independently analyze performance of each task component, timing splits were used to measure 0–10 m, 10–15 m (repeated for the returning 5-m acceleration), and the GCT of the plant step (Table 2). Subjects began each sprint 50 cm behind the first gate, in a staggered, 3-point stance and were instructed to run as fast as possible to the contact mat, turn on the marked point with either their left or right leg and the return as fast as possible back through the 10-m gate. The turning leg used for the first trial was randomly allocated and then alternated between trials. Any trials where the marked turning line was not met were repeated. All timing variables were reported to the nearest 0.01 seconds. The 3 trials turning left or right were averaged and used for analysis. The dominant direction (D) was identified as the turning direction with the fastest 505 performance, and the opposite direction was classified as nondominant (ND) (2).

**15-m Linear Sprint Test.** The linear 15-m sprint test was used to assess maximal acceleration capability with gates placed at 0, 10, and 15 m. Subjects were instructed to start 50 cm behind the first gate, in a staggered, 3-point stance and sprint all the way through the 15-m gate as fast as possible. Three trials were completed with at least a 2-minute rest between each. The time for each distance and all variables were recorded to the nearest 0.01 seconds with the average of 3 trials being included for analysis.

**Change of Direction and Deceleration Deficit Calculations.** Change of direction deficit was calculated to represent the individual's ability to change direction while controlling for their linear speed capabilities using the equation proposed by Nimphius et al. (22). The DD was calculated to quantify the time an individual needed to come to a stop relative to their own sprinting speed. The full approach time was used to represent the time required to approach the turn line as fast as possible while decelerating into a position to facilitate exit speed and overall 505 performance. Commonly braking force is still being applied through the first half of plant step ground contact, with the remainder of the step used for the application of propulsive forces (12). A force plate would be the optimum criterion measure to determine the relative contribution of these braking forces but is not practically viable in field-based



**Figure 1.** A visual representation of the 505 COD test. COD = change of direction.

**Table 1**  
A description of performance measures collected during the study.\*

| Performance measures   | Description/equation                                                                             |
|------------------------|--------------------------------------------------------------------------------------------------|
| Linear 10-m sprint (s) | Time from 0 to 10 m when sprinting in a straight line, taken as a split time from a 15-m sprint. |
| Linear 15-m sprint (s) | Time from 0 to 15 m when sprinting in a straight line.                                           |
| 505 time (s)           | Total time taken to complete the 505 test as calculated in previous research (1).                |
| Full approach (s)      | The time from the 0 m gate to 50% of GCT of the plant step during the 505 test.                  |
| DD (s)                 | Full approach during the 505 test—15 m-time during linear sprint.                                |
| CODD (s)               | 505 time—10-m time taken during 15-m linear sprint (22).                                         |

\*DD = deceleration deficit; CODD = change of direction deficit.

testing. Therefore, the full approach included the time taken over the first half of ground contact in an attempt to capture the complete braking phase of the approach (12). This time was compared against the time the athlete needs to cover the same distance in a linear sprint. Equations to calculate the deficit measures are shown in Table 1.

### Statistical Analyses

Statistical analysis was conducted using SPSS (PASW statistics, Version 19, IBM Corporation, New York, U.S.) and Microsoft Excel (version 14.6.4, Microsoft, Redmond, DC, U.S.). Descriptive statistics (mean  $\pm$  SD) were calculated for all variables. Normality was assessed and confirmed for all variables using a Kolmogorov-Smirnov test. Relationships between performance measures were assessed using Pearson's product-moment correlation (2-way). The correlations were interpreted as follows:  $<0.1$  trivial,  $0.1-0.3$  = small,  $0.3-0.5$  = moderate,  $0.5-0.7$  large,  $0.7-0.9$  = very large,  $0.9-1.0$  = nearly perfect, and  $1.0$  = perfect (14). Statistical significance was set as  $p < 0.05$ . In addition, further analysis examined whether the DD was able to identify athletes whose deceleration ability limits their COD performance to a greater extent than CODD. These were calculated within individuals using z-scores though the formula:

$$\text{z-score} = (\text{subject's test score} - \text{group mean score}) / \text{SD}$$

Worthwhile differences in z-score between DD and CODD were determined and compared to identify those with a moderate worthwhile change (MWC) (Cohen's  $d$ ) between the 2 deficit scores (between subject SD multiplied by 0.5). A MWC was used to consider the potentially lower sensitivity of the deficit measures in a population with less multidirection movement expertise (28). Subsequently, subjects that had a moderate worthwhile positive z-score difference indicated that the use of CODD alone may result in the overestimation of deceleration ability, and a negative

moderate worthwhile difference indicated an underestimation of deceleration ability if CODD is used in isolation.

### Results

Descriptive statistics for all variables are reported in Table 2. Relationships between performance and turning directions are displayed in Tables 3 and 4, respectively. Significant correlations were shown between linear sprint speeds, full approach, and 505 time. No significant relationships were reported between linear sprint speeds and CODD or DD. Five hundred five performance was significantly related to full-approach speed, CODD, and DD. Full approach was significantly related to CODD and DD showed a significant relationship with CODD.

The difference in z-scores between DD and COD deficit are presented in Figure 2. Seventy-eight percent of subjects show a divergence between the 2 deficit measures greater than a MWC in 1 of the 2 turning directions (MWC = D:  $> 0.45$ . ND:  $> 0.44$ ) between the CODD and DD z-scores on their D and ND turning directions, respectively. Analysis of the effects of turning direction identified that 12 subjects show a MWC between deficit scores in both directions with the MWC consistently positive or negative, 15 subjects have a MWC in just 1 of the 2 turning directions, and 1 subject has a MWC on both turning directions with the difference on either side changing from positive or negative.

### Discussion

The aims of the current study were to examine the relationships between linear sprint, 505 total time, CODD, and DD and investigate whether DD provides additional information to these previously reported variables in competitive university level athletes. The primary findings indicate that linear speed was related to 505 time but not CODD or DD. Five hundred five time was significantly correlated to both DD and CODD, and these deficit variables were significantly related to one another but with large individual variance.

The results of this study support previous research showing moderate to large correlations between 505 performance and linear speed (17,22). In the current study, linear speed showed no significant relationship with CODD or DD. Although no previous research has compared DD and linear speed, relationships between these variables seem equivocal. Lockie et al. (17) reported a significant negative relationship between a linear 10 m sprint and CODD ( $r = -0.77$  to  $82$ ). Conversely, Nimphius et al. (22) did not find a significant relationship. Reasoning to elucidate these differences remains unclear and requires further investigation; however, it may be that differences in technical proficiency were a contributing factor as the technical ability to apply force has been shown to be a key requirement for performance in linear and multidirectional tasks (7,20). Therefore, the present results indicate that the athlete's linear speed capabilities did not clearly influence

**Table 2**  
Descriptive statistics for linear speed and best trial COD performance measures.\*†

|         | 10-m sprint (s) | 1-m sprint (s)  | 505 (s)         | Full approach (s) | CODD (s)        | DD (s)          |
|---------|-----------------|-----------------|-----------------|-------------------|-----------------|-----------------|
| DOM     | 1.85 $\pm$ 0.14 | 2.59 $\pm$ 0.21 | 2.54 $\pm$ 0.22 | 3.15 $\pm$ 0.26   | 0.69 $\pm$ 0.16 | 0.56 $\pm$ 0.12 |
| Non-DOM |                 |                 | 2.63 $\pm$ 0.23 | 3.15 $\pm$ 0.28   | 0.78 $\pm$ 0.15 | 0.56 $\pm$ 0.15 |

\*COD = change of direction; CODD = change of direction deficit; DD = deceleration deficit.

†Mean  $\pm$  SD.

**Table 3****Pearson's correlation coefficient between performance measures in the dominant turning direction.\***

|               | 10-m sprint | 15-m sprint | 505   | Full approach | CODD  | DD    |
|---------------|-------------|-------------|-------|---------------|-------|-------|
| 10-m sprint   | 1           | 0.98‡       | 0.71‡ | 0.87‡         | 0.06  | -0.02 |
| 15-m sprint   |             | 1           | 0.74‡ | 0.88‡         | 0.12  | -0.06 |
| 505           |             |             | 1     | 0.86‡         | 0.74‡ | 0.41† |
| Full approach |             |             |       | 1             | 0.40† | 0.43‡ |
| CODD          |             |             |       |               | 1     | 0.59‡ |
| DD            |             |             |       |               |       | 1     |

\*COD = change of direction; CODD = change of direction deficit; DD = deceleration deficit.

† $P < 0.05$ .‡ $P < 0.01$ .

either of the deficit variables. However, these conclusions should be considered within the performance level and technical proficiency of the subjects used. The subjects in this study were faster over 10 m than Division I and II women's soccer athletes (17) and were similar to experienced male cricketers (22). Five hundred five times were slightly slower than experienced male cricketers (22) but similar to Division II female soccer athletes (17). Furthermore, a moderate to large significant relationship between full approach and DD and large significant relationship between CODD and 505 time have been reported. These indicate that the intergroup performance variation was more likely because of each athlete's ability to execute the COD (CODD) or deceleration (DD) components of the test. Therefore, DD or CODD may provide an independent measure of deceleration or COD speed ability, respectively. These results suggest the importance of investigating both an athlete's propulsive (linear sprint speed) and braking (DD or CODD) capabilities independently. This supports the conclusions of previous jumping tasks where concentric and eccentric impulse were unrelated (10,15). This should be further investigated by assessing the DD with the addition of ground reaction force kinetics to explore the influence of braking and propulsive forces. This may be further warranted in subjects with higher levels of linear speed and acceleration as they may be required to decelerate from greater velocities and potentially higher levels of momentum (13). Caution is therefore required when applying the reported correlations to different populations with differing performance levels, and further research is warranted.

Our results suggest that although linear speed still seems to be the primary factor influencing 505 total time, moderate significant relationships were also observed between DD and 505 performance. Therefore, deceleration ability could also be considered an important component of effective COD speed

performance. The importance of the penultimate foot contact braking impulse on COD performance has been reported previously (7,8). However, it is likely that the deceleration in the 505 test was distributed over multiple steps before the penultimate foot contact as it has been reported that athletes take an average of 6.61 m when accelerating and coming to a stop within 15 m (11). The results of this study indicate an average  $0.56 \pm 0.13$  seconds of additional time was required to come to a stop compared with continuing to accelerate over the same distance. The moderate nature of the relationship between 505 and DD may be due to the DD measure being relative to an individual's linear speed capabilities. For example, if an athlete does not require excessive time to come to a stop, a positive factor for COD speed performance, they still require effective linear speed to complete the COD task quickly. Therefore, to understand the role of deceleration on COD speed in greater depth, future research should investigate the deceleration phase over multiple steps and DD should be interpreted in conjunction with linear speed.

Only a moderate amount of shared variance was shown between the CODD and DD, which was likely because of the deceleration time contributing to the CODD outcome (21). However, it is unclear from the CODD how much deceleration was contributing to the time required to complete the COD compared with the reacceleration phase. The difference between CODD and DD z-scores shows that 78% of subjects showed a divergence between the 2 deficit measures greater than a MWC in 1 of the 2 turning directions. This suggests 78% of athletes would either overestimate or underestimate their deceleration ability in 1 of the 2 turning directions if only the CODD was used. In 22% of the subjects, CODD provides a fair representation of their deceleration performance, and the DD does not contribute to their performance profile in either turning direction.


During COD performance assessment, it is important to consider directional dominance, which can be accurately identified using the CODD (5). Addition of the DD from this study may provide greater insights into the contributing factors of these directional differences. A larger correlation was identified between DD and full approach in the ND turning direction, indicating that the braking phase during the full approach on the ND direction had a greater influence on the DD outcome than on the D turning direction (D:  $r = 0.43$ ;  $P < 0.01$ . ND:  $r = 0.54$ ;  $P < 0.01$ ). This may be due to the ND turning direction braking phase being slower for some athletes and subsequently having a greater contribution to DD. However, this was not identified from the group mean times and requires further investigation. Independent analysis for each turning direction revealed that 58 and 55% of subjects (D and ND performance, respectively) had a divergence between the 2 deficit measures greater than a MWC. Further analysis

**Table 4****Pearson's correlation coefficient between performance measures in the nondominant turning direction.\*†**

|               | 10-m sprint | 15-m sprint | 505   | Full approach | CODD  | DD    |
|---------------|-------------|-------------|-------|---------------|-------|-------|
| 10-m sprint   | 1           | 0.98‡       | 0.76‡ | 0.85‡         | 0.16  | 0.05  |
| 15-m sprint   |             | 1           | 0.75‡ | 0.85‡         | 0.17  | 0.01  |
| 505           |             |             | 1     | 0.87‡         | 0.77‡ | 0.44‡ |
| Full approach |             |             |       | 1             | 0.48‡ | 0.54‡ |
| CODD          |             |             |       |               | 1     | 0.62‡ |
| DD            |             |             |       |               |       | 1     |

\*CODD = change of direction deficit; DD = deceleration deficit.

† $P < 0.05$ .‡ $P < 0.01$ .



**Figure 2.** The difference between z-scores for COD deficit and deceleration deficit with a moderate worthwhile change threshold. COD = change of direction.

identifies 12 subjects, where the overestimation or underestimation of deceleration from CODD was consistent on both turning directions. Fifteen subjects have an overestimation or underestimation of deceleration from CODD in just 1 of the 2 turning directions. Finally, 1 subject had a MWC on both turning directions that changes from positive or negative, indicating that CODD underestimates deceleration ability on the D turning direction but overestimates deceleration on the ND direction. Change of direction deficit was reported to be a suitable representation of deceleration ability for both turning directions for 8 subjects. It is subsequently unclear from this analysis if there was a trend for the turning direction dominance to influence an overestimation or underestimation of deceleration ability by CODD, and further investigation is warranted.

Although the current results suggest that DD provides unique information for most athletes which may help coaches individualize training programs, it is important that this metric is further investigated with validity and reliability analysis to enhance our understanding. Furthermore, the reported correlations between DD and the other measures variables were all less than  $r = 0.5$ , meaning there was only approximately a 20% contribution of these variables to DD. Therefore, the factors which contribute to DD are currently unknown and warrant exploration. The DD itself may also be contributed to by a self-paced approach speed before the deceleration phase (24) where the athlete is reducing the load exposed to their nondominant limb (26) or from a lack of deceleration ability requiring the braking phase to be spread over a greater number of steps and more time (7,8). At present, it is not possible to distinguish between contributing factors such as these, and future research should look to investigate this further using a multiple regression analysis and including a broad range of physical measures such as eccentric strength (10,13).

The results of the current study suggest that DD could provide a unique insight into deceleration capabilities which was not captured in CODD for most athletes. In addition, both the CODD and DD were not influenced by an athlete's linear speed capabilities supporting the need for independent analysis of propulsive (linear speed), braking (DD), and multidirection application (CODD) qualities during COD speed testing. Further research should be conducted to improve our understanding of the DD and how an individual's deceleration ability impacts COD speed performance, turning direction dominance, speed control, and mechanics.

### Practical Applications

The current study indicated that the use of the DD helps identify athletes whose COD speed performance may be limited by deceleration ability, assisting coaches in individualizing training interventions. The protocols used provided an opportunity to measure propulsive (linear speed), braking (DD), and multidirection application (CODD) qualities during COD whereas also obtaining a general COD speed performance measure (505 time) from just 2 easy to administer field-based tests, maximizing efficiency in testing.

### Acknowledgments

The authors acknowledge our subjects for their contribution to the study.

### References

1. Barber OR, Thomas C, Jones PA, McMahon JJ, Comfort P. Reliability of the 505 change-of-direction test in netball players. *Int J Sports Physiol Perform* 11: 377–380, 2016.
2. Bishop C, Turner A, Jarvis P, Chavda S, Read P. Considerations for selecting field-based strength and power fitness tests to measure asymmetries. *J Strength Cond Res* 31: 2635–2644, 2017.
3. Condello G, Minganti C, Lupo C, et al. Evaluation of change-of-direction movements in young rugby players. *Int J Sports Physiol Perform* 8: 52–56, 2013.
4. Condello G, Schultz K, Tessitore A. Assessment of sprint and change-of-direction performance in college football players. *Int J Sports Physiol Perform* 8: 211–212, 2013.
5. Cuthbert M, Thomas C, Dos'Santos T, Jones PA. The application of change of direction deficit to evaluate cutting ability. *J Strength Cond Res* 33: 2138–2144, 2017.
6. Dos'Santos T, Thomas C, Jones PA, Comfort P. Assessing asymmetries in change of direction speed performance; application of change of direction deficit. *J Strength Cond Res* 33: 2953–2961, 2019.
7. Dos'Santos T, Thomas C, Jones PA, Comfort P. Mechanical determinants of faster change of direction speed performance in male athletes. *J Strength Cond Res* 31: 696–705, 2017.
8. Dos'Santos T, Thomas C, Comfort P, Jones P. The role of the penultimate foot contact during change of direction: Implications on performance and risk of injury. *Strength Cond J* 41: 87–104, 2019.
9. Draper J, Lancaster M. The 505 test: A test for agility in the horizontal plane. *Aust J Sci Med Sport* 17: 15–18, 1985.
10. Gillen ZM, Jahn LE, Shoemaker ME, et al. Effects of eccentric preloading on concentric vertical jump performance in youth athletes. *J Appl Biomech* 35: 327–335, 2019.
11. Graham-Smith P, Rumpf M, Jones P. Assessment of deceleration ability and relationship to approach speed and eccentric strength. *36th*

- Conference of the International Society of Biomechanics in Sports, Auckland, New Zealand, September 10–14, 2018.
12. Hanson AM, Padua DA, Troy Blackburn J, Prentice WE, Hirth CJ. Muscle activation during side-step cutting maneuvers in male and female soccer athletes. *J Athl Train* 43: 133–143, 2008.
  13. Harper DJ, Cohen DD, Carling C, Kiely J. Can countermovement jump neuromuscular performance qualities differentiate maximal horizontal deceleration ability in team sport athletes? *Sports* 8: 76, 2020.
  14. Hopkins WG. *A Scale of Magnitudes for Effect Statistics*. 2002. Available at: <http://sportsci.org/resource/stats/effectmag.html>. Accessed January 20, 2019.
  15. James LP, Connick M, Haff GG, Kelly VG, Beckman EM. The countermovement jump mechanics of mixed martial arts competitors. *J Strength Cond Res* 34: 982–987, 2020.
  16. Jones PA, Herrington L, Graham-Smith P. Braking characteristics during cutting and pivoting in female soccer players. *J Electromyogr Kinesiol* 30: 46–54, 2016.
  17. Lockie RG, Dawes JJ, Jones MT. Relationships between linear speed and lower-body power with change-of-direction speed in National Collegiate Athletic Association Divisions I and II women soccer athletes. *Sports* 6: 30, 2018.
  18. Maloney SJ, Richards J, Nixon DG, Harvey LJ, Fletcher IM. Do stiffness and asymmetries predict change of direction performance? *J Sports Sci* 35: 547–556, 2017.
  19. Marshall BM, Franklyn-Miller AD, King EA, et al. Biomechanical factors associated with time to complete a change of direction cutting maneuver. *J Strength Cond Res* 28: 2845–2851, 2014.
  20. Morin JB, Edouard P, Samozino P. Technical ability of force application as a determinant factor of sprint performance. *Med Sci Sports Exerc* 43: 1680–1688, 2011.
  21. Nimphius S, Callaghan SJ, Bezodis NE, Lockie RG. Change of direction and agility tests: Challenging out current measures of performance. *Strength Cond J* 40: 26–38, 2018.
  22. Nimphius S, Callaghan SJ, Spiteri T, Lockie RG. Change of direction deficit: A more isolated measure of change of direction performance than total 505 time. *J Strength Cond Res* 30: 3024–3032, 2016.
  23. Nimphius S, Geib G, Spiteri T, Carlisle D. Change of direction deficit measurement in Division I American football players. *J Aus Strength Cond* 21: 115–117, 2013.
  24. Nimphius S, Spiteri T, Seitz L, Haff E, Haff GG. Is there a pacing strategy during a 505 change of direction test in adolescents? *J Strength Cond Res* 27: 104–105, 2013.
  25. Sheppard J, Young W. Agility literature review: Classifications, training and testing. *J Sports Sci* 24: 919–932, 2006.
  26. Sigward SM, Chan MS, Lin PE, Almansouri SY, Pratt KA. Compensatory strategies that reduce knee extensor demand during a bilateral squat change from 3 to 5 months following anterior cruciate ligament reconstruction. *J Orth Sports Phys Ther* 48: 713–718, 2018.
  27. Stewart PF, Turner AN, Miller SC. Reliability, factorial validity, and interrelationships of five commonly used change of direction speed tests. *Scand J Med Sci Sports* 24: 500–506, 2014.
  28. Swinton PA, Hemingway BS, Saunders B, Gualano B, Dolan E. A statistical framework to interpret individual response to intervention: Paving the way for personalized nutrition and exercise prescription. *Front Nutr* 5: 41, 2018.
  29. Swinton PA, Lloyd R, Keogh JW, Agouris I, Stewart AD. Regression models of sprint, vertical jump, and change of direction performance. *J Strength Cond Res* 28: 1839–1948, 2014.